## SPOKANE COUNTY HEALTH DISTRICT Inter-Office Communication

June 7, 1983 DATE:

Dr. Mary Q. Luther

Larry Chadzynski

BJECT: ETING:

William Mullen, Chief, Drinking Water Programs Branch, EPA

Dan Sander, local DSHS Larry Chadzynski, SCHD

TE AND TIME: Thursday, June 2, 1983, 1:30 PM

Local DSHS office. ACE:

To discuss (b)(6) well (an aquifer monitoring well point) in regards RPOSE:

to increasing volatile organic levels.

Mr. Mullen presented us with a copy of a table of Detected Purgeable SCUSSION: Halocarbon Data for Selected Wells (CAS #SYSTEM), copy attached.

The (b)(6) well has been included in aquifer monitoring dating back to the "208" Study. The data discussed reflect sampling periods

from September 15, 1980, to January 26, 1983.

The following organics show gradually increasing values: TETRACHLORO-ETHYLENE; TRICHLOROETHYLENE: 1,2-TRANS DICHLOROETHYLENE; and 1,2-DICHLOROETHANE. They are of major concern as contaminants in that they are carcinogenic. EPA critical levels for those organics are shown

in the following table.

## CRITICAL LEVELS OF SPECIFIC ORGANICS

IGANIC	CRITICAL LEVEL	JEFFERS' WELL (RANGE)		
trachloroethylene Toxicity Carcinogenicity	20 ugs/1 3 ugs/1	5.6 - 23 ugs/1		
richloroethylene Toxicity Carcinogenicity	7 ugs/1 3 ugs/1	1.0 M - 14.0 ugs/1		
,2-Transdichloroethylene Toxicity Carcinogenicity	*270 ugs No data	148 - 385 ugs/1		
Dichloroethane Toxicity/ Carcinokenicity	1 ug/1	7.2 - 17.0 ugs/1		

\*30-60 day short-term limit

Clearly the organic levels in the (b)(6) well exceed the critical levels and are cause of concern because of the risk to health of this family ingesting this water. The risk is great if they continue to drink the water.

In addition, new information on 1,1,1-TCE recently evaluated by EPA shows that it is also carcinogenic in animals at lower levels - 16-20 mgs/l. 1,1,1-TCE was earlier included only for its chemical toxicity by EPA. Now, this new information on animal carcinogenicity adds a new degree of concern for 1,1,1-TCE.

The (b)(6) well is located very near to and north of a landfill (Greenacres Landfill), formerly owned and operated by the County. After closure of the owned by the Highlands Development Group.

The increasing values of organic contaminants in the (b)(6) well raises the question as to what is the source of these organic contaminants. Is it leachate from the former Greenacres Landfill or is it some other source on or near the (b)(6) premises? The (b)(6) well draws its water from the Spokane

(b)(6) owns two parcels of land totalling 11.23 acres in Section 16, south of Kenney Road and west of Liberty Lake Road.

There was concensus that the (b)(6) should again be advised to not use the water from their well for drinking or cooking purposes.

## PLAN:

- 1. Visit (b)(6) and apprise them of the organic contaminant problem and follow verbal presentation with a letter.
- Suggest alternative water supply.
- 3. Investigate source of organic contaminants.
  - A. SCHD-EHD will identify other wells in the area and submit the locations to EPA for review and comment prior to implementing a sampling project.
  - B. EPA will analyze H<sub>2</sub>O supplies for organics.
  - C. DSHS will analyze  $H_2^{-0}$  sample for selected inorganics.
  - D. Investigate County or DOE plans to address the Greenacres Landfill (as possible source of organic contaminants), and depending on the outcome of the investigation, EPA may add the site to the list of potential superfund sites.
  - E. DSHS and SCHD EHD will generate list of wells logs for sampling project (it will be important to try to determine where pumps set in wells). We are considering looking at wells located in sections 8, 9, 16, and 17 at this time.

remo to Dr. Luther Page '3 June 7, 1983

F. Reconvene and discuss findings of preliminary investigation.

c: Commissioners Peterson Shepard

McBride

William Mullen, EPA

Dan Sander, DSHS

Mr. Kroll, SCHD-EHD

Mr. Way,

Mr. Anicetti, " Mr. Byram, "

1

81

FLE CE C : TE CLECEPHLE ERLCCAFFLE DATA FOR FLULTEC WELLS CCASE SYSTEMS

:	1777	6.7°		[/]	11-1	1.01 (1.1 100 (1.1) + 100 (1.1)	CEBRYLENG	THE STATE OF LOOPE	TATALLOW CASCIPATER TATALLOW	1.1010HCCF CETHANS HG/L	1.2010H(). C51H/H(). UG/L	1+2^1CH; C UCZI
												1
			3									
	016 29	. , , , , , ,	FELL	*1/01/		1.7	5.1	5.6			14.0	
	UTF J	1 + 1 + 5	Witt	81/05/	27 1200	2.1	14.( 63.(	2.4 14.0				
		24144		91/07/1 61/10/	25 27 1200	6.5	18.C	9.4	151.0	1.7	3 5	
<b>,</b>	Direct	643.43	►EL1	81/10/	27 1205		14.0	4.2	146.0	3.0	7.2 14.0	
, k	UTF 1	- 4 6 6 7 7	WELL		27 C764 27 C765	4 . C 4 . 4	23.0	12.0 12.0	225.0 225.0	3 · C	13.0	1.5
₽	UTF J	EFFE +5	ar ti	#2/1C/	24 6715	7.57	22.0	6.8	245.0	7.8 1.4	17.0	1.E
			wett	35/10/	2€ 0716		23.0	8 • 0	258.0	1.5	76.0	1.()

3.4